

# LIPARI

Famiglia di faretti da incasso downlight per illuminazione d'accento in interni. L'apparecchio può essere ruotato di 30 ° in verticale e ruotato di 355 ° a livello orizzontale, per orientare la luce a piacere.

La struttura modulare separa la lampada in più parti indipendenti. Gli anelli esterni con diverse finiture sono semplici da montare e possono essere facilmente sostituiti per soddisfare le diverse esigenze di apertura ed effetti estetici.

Lipari è proposto con diverse ottiche accessorie, per soddisfare differenti necessità di illuminazione.



# RECESSED TRIMLESS 15° | 2700K

## LAMPING

Source	LED spot
Total power	28W
Emission	Direct adjustable 15°
Switching	according to driver
Tension	IN 36V-600mA
Color temperature	2700K
Luminous flux	1400lm
Typ CRI	> 90
Energy class	F
IP class	20
Dimensions	ø12,2x15,5cm
Notes	driver and ring not included
Accessories	Drivers, Lipari   Lipari ring, Lipari ring
Net lamp weight	0,92 kg

## Codes

LIP LW2 61

## Structure

white

## PACKAGE



Package 01

Dimension: 46x45,5x35,8 cm / Gross weight: 1,3 kg



## Certificazioni



## TRIMLESS



## TRIM



# RECESSED TRIMLESS 15° | 3000K

## LAMPING

Source	LED spot
Total power	28W
Emission	Direct adjustable 15°
Switching	according to driver
Tension	IN 36V-600mA
Color temperature	3000K
Luminous flux	1400lm
Typ CRI	> 90
Energy class	F
IP class	20
Dimensions	ø12,2x15,5cm
Notes	driver and ring not included
Accessories	Drivers, Lipari   Lipari ring, Lipari ring
Net lamp weight	0,92 kg

## Codes

LIP LW3 61

## Structure

white

## PACKAGE



Package 01

Dimension: 46x45,5x35,8 cm / Gross weight: 1,3 kg



## Certificazioni



## TRIMLESS



## TRIM



# RECESSED TRIMLESS 35° | 2700K

## LAMPING

Source	LED spot
Total power	28W
Emission	Direct adjustable 35°
Switching	according to driver
Tension	IN 36V-600mA
Color temperature	2700K
Luminous flux	1400lm
Typ CRI	> 90
Energy class	F
IP class	20
Dimensions	ø12,2x15,5cm
Notes	driver and ring not included
Accessories	Drivers, Lipari   Lipari ring, Lipari ring
Net lamp weight	0,92 kg

## Codes

LIP LW2 63

## Structure

white

## PACKAGE



Package 01

Dimension: 46x45,5x35,8 cm / Gross weight: 1,3 kg



## Certificazioni



## TRIMLESS



## TRIM



# RECESSED TRIMLESS 35° | 3000K

## LAMPING

Source	LED spot
Total power	28W
Emission	Direct adjustable 35°
Switching	according to driver
Tension	IN 36V-600mA
Color temperature	3000K
Luminous flux	1400lm
Typ CRI	> 90
Energy class	F
IP class	20
Dimensions	ø12,2x15,5cm
Notes	driver and ring not included
Accessories	Drivers, Lipari   Lipari ring, Lipari ring
Net lamp weight	0,92 kg

## Codes

LIP LW3 63

## Structure

white

## PACKAGE



Package 01

Dimension: 46x45,5x35,8 cm / Gross weight: 1,3 kg



## Certificazioni



## TRIMLESS



## TRIM



# RECESSED TRIM 15° | 2700K

## LAMPING

Source	LED spot
Total power	28W
Emission	Direct adjustable 15°
Switching	according to driver
Tension	IN 36V-600mA
Color temperature	2700K
Luminous flux	1400lm
Typ CRI	> 90
Energy class	F
IP class	20
Dimensions	ø13,8x15,5cm
Notes	driver and ring not included
Accessories	Lipari ring, Lipari ring
Net lamp weight	0,88 kg

## Codes

LIT LW2 61  
LIT LN2 61

## Structure

white  
black

## PACKAGE



Package 01

Dimension: 46x45,5x35,8 cm / Gross weight: 1,25 kg



## Certificazioni



## TRIMLESS



## TRIM



## RECESSED TRIM 15° | 3000K

### LAMPING

Source	LED spot
Total power	28W
Emission	Direct adjustable 15°
Switching	according to driver
Tension	IN 36V-600mA
Color temperature	3000K
Luminous flux	1400lm
Typ CRI	> 90
Energy class	F
IP class	20
Dimensions	ø13,8x15,5cm
Notes	driver and ring not included
Accessories	Lipari ring, Lipari ring
Net lamp weight	0,88 kg

### Codes

LIT LW3 61  
LIT LN3 61

### Structure

white  
black

### PACKAGE



Package 01

Dimension: 46x45,5x35,8 cm / Gross weight: 1,25 kg



### Certificazioni



### TRIMLESS



### TRIM



## RECESSED TRIM 35° | 2700K

### LAMPING

Source	LED spot
Total power	28W
Emission	Direct adjustable 35°
Switching	according to driver
Tension	IN 36V-600mA
Color temperature	2700K
Luminous flux	1400lm
Typ CRI	> 90
Energy class	F
IP class	20
Dimensions	ø13,8x15,5cm
Notes	driver and ring not included
Accessories	Lipari ring, Lipari ring
Net lamp weight	0,88 kg

### Codes

LIT LW2 63  
LIT LN2 63

### Structure

white  
black

### PACKAGE



Package 01

Dimension: 46x45,5x35,8 cm / Gross weight: 1,25 kg



### Certificazioni



### TRIMLESS



### TRIM





## RECESSED TRIM 35° | 3000K

### LAMPING

Source	LED spot
Total power	28W
Emission	Direct adjustable 35°
Switching	according to driver
Tension	IN 36V-600mA
Color temperature	3000K
Luminous flux	1400lm
Typ CRI	> 90
Energy class	F
IP class	20
Dimensions	ø13,8x15,5cm
Notes	driver and ring not included
Accessories	Lipari ring, Lipari ring
Net lamp weight	0,88 kg

### Codes

LIT LW3 63  
LIT LN3 63

### Structure

white  
black

### PACKAGE



Package 01

Dimension: 46x45,5x35,8 cm / Gross weight: 1,25 kg

### Certificazioni



### TRIMLESS



### TRIM

