

FIX

Risultato di una costante ricerca sulle forme essenziali e di un progetto di miniaturizzazione dei componenti, FIX rappresenta il legame armonico tra spazio e luce: linee pulite, dimensioni compatte e un nuovo sistema ottico inserito in una sagoma quadrata in alluminio pressofuso. Un doppio fascio luminoso di 100° enfatizza il controllo della luce con un approccio molto delicato e naturale.



WALL

LAMPING

Source	LED board
Total power	2x6W
Emission	direct/indirect
Switching	dimmable TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	2x380lm
Typ CRI	85
IP class	20
Dimensions	10x9,6x3
Materials	aluminium
Notes	available also in 120V. Suggested dimmer: TECNEL TE7636 (dimming range: from ~45% to 100%)
Net lamp weight	0,6 kg

Codes

FIM LWW 3D
FIM LNW 3D
FIM LGT 3D
FIM LGW 3D

Structure

white
black
gold painted
gold burnished


PACKAGE

Package 01 Dimension: 18x15x14 cm / Gross weight: 1 kg

Certificazioni




3




9,6

10



3

5,4



100° WALL

LAMPING

Source	LED Board
Total power	2x6W
Emission	direct/indirect, 100° optic
Switching	Dimmable TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	2x524lm
Typ CRI	85
IP class	20
Dimensions	10x9,65x5,4
Materials	aluminium
Notes	available also in 120V. Suggested dimmer: TECNEL TE7636 (dimming range: from ~45% to 100%)

Codes

FIM LWW 3C
FIM LNW 3C
FIM LGT 3C
FIM LGW 3C

Structure

white
black
gold painted
gold burnished

Certificazioni

