

ZIRKOL LINEAR

ZIRKOL – L è una famiglia di lampade lineare a sospensione ideale per l'illuminazione generale e decorativa di ambienti.
Corpo in alluminio anodizzato e schermo di protezione opale per un'illuminazione omogenea. CRI > 90.
L'emissione di luce può essere diretta o bi-emissione con alto flusso luminoso e con differenti temperature colore.



1M | DOWNLIGHT - 2700K



LAMPING

Source	Linear LED
Total power	14,5W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	2700K
Luminous flux	833lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	100x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIMLED020/24, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable | Ceiling plate, for false ceiling
Net lamp weight	1.2 kg

Codes	*Structure*
BZRL1610G15DBO	white
BZRL1610G15DNE	black
BZRL1610G15DOR	matt gold

PACKAGE


Package 01	Dimension: 100x2,6x5 cm / Gross weight: 1.25 kg

Certificazioni

CE UKCA

NEMO STUDIO

1M | UP - DOWNLIGHT -2700K



LAMPING

Source	Linear LED
Total power	29W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	2700K
Luminous flux	1666lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	100x2,6x5cm
Materials	Aluminum
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable | Ceiling plate, for false ceiling
Net lamp weight	1.2 kg

Codes	*Structure*
BZRL1710G15DBO	white
BZRL1710G15DNE	black
BZRL1710G15DOR	matt gold

PACKAGE


Package 01	Dimension: 100x2,6x5 cm / Gross weight: 1.25 kg

Certificazioni

CE UKCA

NEMO STUDIO

1M | DOWNLIGHT - 3000K



LAMPING

Source	Linear LED
Total power	14,5W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	3000K
Luminous flux	882lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	100x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIMLED020/24, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable | Ceiling plate, for false ceiling
Net lamp weight	1,2 kg

Codes	*Structure*
BZRL1610G15WOB	white
BZRL1610G15WNE	black
BZRL1610G15WOR	matt gold

PACKAGE


Package 01	Dimension: 100x2,6x5 cm / Gross weight: 1,25 kg

Certificazioni

CE UKCA

NEMO STUDIO

1M | UP - DOWNLIGHT -3000K



LAMPING

Source	Linear LED
Total power	29W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	3000K
Luminous flux	1764lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	100x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable | Ceiling plate, for false ceiling
Net lamp weight	1,2 kg

Codes	*Structure*
BZRL1710G15WBO	white
BZRL1710G15WNE	black
BZRL1710G15WOR	matt gold


PACKAGE

Package 01	Dimension: 100x2,6x5 cm / Gross weight: 1,25 kg

Certificazioni

CE UKCA

1M | DOWNLIGHT - 4000K



LAMPING

Source	Linear LED
Total power	14,5W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	4000K
Luminous flux	980m
Typ CRI	90
Energy class	D
IP class	40
Dimensions	100x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIMLED020/24, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable | Ceiling plate, for false ceiling
Net lamp weight	1,2 kg

Codes	*Structure*
BZRL1610G15NBO	white
BZRL1610G15NNE	black
BZRL1610G15NOR	matt gold

PACKAGE


Package 01	Dimension: 100x2,6x5 cm / Gross weight: 1,25 kg

Certificazioni

CE UKCA

NEMO STUDIO

1M | UP - DOWNLIGHT - 4000K



LAMPING

Source	Linear LED
Total power	29W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	4000K
Luminous flux	1960lm
Typ CRI	90
Energy class	D
IP class	40
Dimensions	100x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable | Ceiling plate, for false ceiling
Net lamp weight	1,2 kg

Codes	*Structure*
BZRL1710G15NBO	white
BZRL1710G15NNE	black
BZRL1710G15NNE	matt gold


PACKAGE

Package 01	Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

Certificazioni

CE UKCA

2M | DOWNLIGHT - 2700K



LAMPING

Source	Linear LED
Total power	29W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	2700K
Luminous flux	1666lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	200x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable | Ceiling plate, for false ceiling
Net lamp weight	2,4 kg

Codes	*Structure*
BZRL1620G15DBO	white
BZRL1620G15DNE	black
BZRL1620G15DOR	matt gold

PACKAGE


Package 01	Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

Certificazioni

CE UKCA

NEMO STUDIO

2M | UP - DOWNLIGHT - 2700K



LAMPING

Source	Linear LED
Total power	58W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	2700K
Luminous flux	3332lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	200x2,6x5cm
Materials	Aluminum
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable | Ceiling plate, for false ceiling
Net lamp weight	2,4 kg

Codes	*Structure*
BZRL1720G15DBO	white
BZRL1720G15DNE	black
BZRL1720G15DOR	matt gold


PACKAGE

Package 01	Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

Certificazioni

CE UKCA

2M | DOWNLIGHT - 3000K



LAMPING

Source	Linear LED
Total power	29W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	3000K
Luminous flux	1764lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	200x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable | Ceiling plate, for false ceiling
Net lamp weight	2,4 kg

Codes	*Structure*
BZRL1620G15WBO	white
BZRL1620G15WNE	black
BZRL1620G15WOR	matt gold

PACKAGE


Package 01	Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

Certificazioni

CE UKCA

NEMO STUDIO

2M | UP - DOWNLIGHT - 3000K



LAMPING

Source	Linear LED
Total power	58W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	3000K
Luminous flux	3528lm
Typ CRI	90
Energy class	E
IP class	40
Dimensions	200x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable | Ceiling plate, for false ceiling
Net lamp weight	2,4 kg

Codes	*Structure*
BZRL1720G15WBO	white
BZRL1720G15WNE	black
BZRL1720G15WOR	matt gold

PACKAGE


Package 01	Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

Certificazioni

CE UKCA

NEMO STUDIO

2M | DOWNLIGHT - 4000K



LAMPING

Source	Linear LED
Total power	29W
Emission	Diffused orientable
Switching	DALI 1-100%
Tension	220/240V
Color temperature	4000K
Luminous flux	1960lm
Typ CRI	90
Energy class	D
IP class	40
Dimensions	200x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Customization options	Shapes, sizes
Accessories	Canopy box, 1 driver, 1 electrical cable | Ceiling plate, for false ceiling
Net lamp weight	2,4 kg

Codes	*Structure*
BZRL1620G15NBO	white
BZRL1620G15NNE	black
BZRL1620G15NOR	matt gold

PACKAGE


Package 01	Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

Certificazioni

CE UKCA

NEMO Studio

2M | UP - DOWNLIGHT - 4000K



LAMPING

Source	Linear LED
Total power	58W
Emission	Diffused orientable
Switching	DALI 1-100V
Tension	220/240V
Color temperature	4000K
Luminous flux	3920lm
Typ CRI	90
Energy class	D
IP class	40
Dimensions	200x2,6x5cm
Materials	Aluminium
Notes	included: 1 driver WALIM60W24VIN, 1 dimmer interface WDIMDALIHP, 1 electrical cable length 5m, 2x adjustable metal cables length 3m (including ceiling attachment). Shipped assembled
Accessories	Canopy box, 1 driver, 1 electrical cable | Ceiling plate, for false ceiling
Net lamp weight	2,4 kg

Codes	*Structure*
BZRL1720G15NBO	white
BZRL1720G15NNE	black
BZRL1720G15NOR	matt gold

PACKAGE

Package 01	Dimension: 200x2,6x5 cm / Gross weight: 2,55 kg

Certificazioni

CE UKCA