

# ZENA

*Roberto Paoli*

L'essenzialità di Zena è il risultato di un attento studio di ricerca geometrica, che ha generato un oggetto essenziale e potente con importanti prestazioni luminose. Zena rappresenta una rivoluzione nel mondo delle lampade a parete, un esperimento contemporaneo che trasforma l'applicque da oggetto tradizionalmente statico in elemento dinamico e sofisticato, un'importante sintesi tra obiettivi di leggerezza, potenza e fruibilità. Zena è realizzata da un estruso in alluminio riciclabile.



IP20 | 2700K

---

### LAMPING

Source	linear LED
Total power	30W
Emission	indirect
Switching	dimnable TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	3000lm
Typ CRI	85
Dimensions	28x8x10,3

### Codes

ZEN LW2 31


ZEN LN2 31

### Structure

white

black

### Certificazioni



IP20 | 3000K

---

### LAMPING

Source	linear LED
Total power	30W
Emission	indirect
Switching	dimmable TRIAC
Tension	230V
Color temperature	3000K
Luminous flux	3000lm
Typ CRI	85
IP class	20
Dimensions	28x8x10,3

### Codes

ZEN LWW 31


ZEN LNW 31

### Structure

white

black

### Certificazioni



IP44 | 2700K

### LAMPING

Source	linear LED
Total power	30W
Emission	indirect
Switching	dimmable TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	3000lm
Typ CRI	85
IP class	44
Dimensions	28x8x10,3

### Codes

ZEN LN2 33


ZEN LW2 33

### Structure

black

white

### Certificazioni



IP44 | 3000K

## LAMPING

Source	linear LED
Total power	30W
Emission	indirect
Switching	dimnable TRIAC
Tension	230V
Color temperature	3000K
Luminous flux	3000lm
Typ CRI	85
IP class	IP44
Dimensions	28x8x10,3

## Codes

ZEN LNW 33

ZEN LWW 33

## Structure

black

white

## Certificazioni

