

# UNTITLED MINI LINEAR

*Bernhard Osann*

Progetto di sintesi vincente di meccanica e illuminotecnica. Un design pulito ed essenziale, con snodi miniaturizzati che consentono un'estrema versatilità di movimento. La versione Linear è stata progettata con un'ottica specifica per garantire il massimo comfort visivo negli ambienti di lavoro.



# 2700K

## LAMPING

Source	linear LED
Total power	7W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	2700K
Luminous flux	485lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp,   Table base,   Wall fixing,


## Codes

UNT LN2 15  
UNT LW2 15  
UNT LD2 15  
UNT LG2 15

## Structure

black  
white  
titan grey  
gold

## Certificazioni



3000K

### LAMPING

Source	LED board
Total power	7W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	3000K
Luminous flux	485lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp,   Table base,   Wall fixing,

### Codes

UNT LNN 15  
UNT LWW 15  
UNT LDD 15  
UNT LGG 15

### Structure

black  
white  
titan grey  
gold

### Certificazioni

