

Luminaire


Code FIM LWW 31
Name Fix Double Em. Led 2x6W

Measurem.

Code FD052016
Name Fix Double Em. Led 2x6W

Luminaire Flux	761.97 lm	Luminaire Power	12.00 W	Efficacy	63.50 lm/W	Efficiency	100.00%
Lamps Flux	762.00 lm	Maximum value	210.54 cd/klm	Position	C=80.00 G=0.00	CG	Asymmetrical
Rectangular Luminaire Round Luminous Area	Length Diam.	100 mm 65 mm	Width Height	100 mm 0 mm	Height	30 mm	
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°	0.003318 m2 0.000000 m2 0.000000 m2	Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°	0.000000 m2 0.000000 m2 0.000803 m2				
Coordinate system Date Measurement Distance	CG 27-01-2000 0.00	Symmetry Type Maximum Gamma Angle Measurement Flux	Asymmetrical 180 762.00 lm				
Operator Temperature Humidity Notes	25.00 °C 60.00 %	Source Voltage [V] Source current [A] Photocell	120.00 V				

Line	Code Led	Luminaire Lamps Name Led	Flux [lm] 762.00	Pow. [W] 12.00	Q.ty 1
C.I.E. F UTE	52 82 96 50 100 0.50 D + 0.50 T	D DIN 5040 B NBN	C41 BZ 4		



ULOR 50.00 %
DLOR 50.00 %
RN 50.00 %

