

Applique à Volet Pivotant

Charlotte Perriand



NEMO








Charlotte Perriand

Paris, 24 October 1903 - Paris, 27 October 1999

Ch Perriand

Charlotte Perriand was an architect, designer, as well as an enthusiastic hiker and skier, a visionary, an independent woman and a global traveller. From the early decades of the 20th century, she revisited the concept of design and its aesthetic values, giving life to contemporary design through timeless, iconic and authentic objects that bear witness to modern times.



Original sketch and prototype ©achp/adagp

Charlotte Perriand's legendary applique is now available in new finishes, further expanding Nemo's catalogue. Designed in 1962 for her mountain chalet in Méribel in the French Alps, Applique à Volet Pivotal features an adjustable volet and an aluminium structure. Indirect light output towards the wall and an orientable flood beam.


- IT

La leggendaria applique di Charlotte Perriand si arricchisce di nuove finiture, ampliando ulteriormente la proposta di Nemo. Progettata nel 1962 per il suo chalet di montagna a Méribel, nelle Alpi francesi, l'Applique à Volet Pivotal è caratterizzata da un volet regolabile e da una struttura in alluminio. Emissione di luce indiretta verso la parete e fascio luminoso orientabile.
- FR


La légendaire applique de Charlotte Perriand s'enrichit de nouvelles finitions, élargissant encore l'offre de Nemo. Dessinée en 1962 pour son chalet de montagne à Méribel, dans les Alpes françaises, l'Applique à Volet Pivotal se caractérise par un volet orientable et une structure en aluminium. La lampe émet une lumière indirecte vers le mur et le faisceau peut être orienté à volonté.
- DE

Die legendäre Wandleuchte von Charlotte Perriand ist ab sofort in neuen Oberflächen erhältlich und erweitert damit die Kollektion von Nemo. Basierend auf dem Entwurf von 1962 für ihr Chalet in Méribel in den französischen Alpen zeichnet sich die Applique à Volet Pivotal durch einen verstellbaren Diffusor „Volet“ und eine Struktur aus Aluminium aus. Indirekte Lichtabstrahlung zur Wand und ein ausrichtbarer Lichtstrahl.

Finishes



Wall R7s




Technical Information

MAX 80W
 Direct/indirect emission, orientable
 Dimmable according to the bulb
 230V
 IP 20
 Only for horizontal installation
 White body

Versions

Black anodized	AVP HWN 31
Natural anodized	AVP HWD 31
Polished inox	AVP HWH 31
NEW Gold anodized	AVP H2G 31

Wall E14




Technical Information

MAX 8W
Direct/indirect emission, orientable
Dimmable according to bulb
230V
IP 20
Cable lenght 1,1m
Switch on board
Bulb Ømax 3cm (not included)
With external cable plug (removable)
White body

Versions

Black anodized	AVP EWN 31
Natural anodized	AVP EWD 31
White	AVP EWW 31
Red	AVP EWR 31
Yellow	AVP EWG 31
Blue	AVP EWB 31
Polished inox	AVP EWH 31
NEW Pastel blue	AVP EWC 31
NEW Sage green	AVP EWV 31
NEW Light grey	AVP E2D 31
NEW Gold anodized	AVP E2G 31

Wall LED IP54



Technical Information


LED board
10W
Direct/indirect emission, orientable
TRIAC dimmable
230V
3000k
805lm (white violet in parallel position)
CRI 85
IP 54
White body

Versions

Black anodized	AVP LWN 34
Natural anodized	AVP LWD 34
White	AVP LWW 34
Red	AVP LWR 34
Yellow	AVP LWG 34
Blue	AVP LWB 34
Polished inox	AVP LWH 34
NEW Pastel blue	AVP LWC 34
NEW Sage green	AVP LWV 34
NEW Light grey	AVP L2D 34
NEW Gold anodized	AVP L2G 34



Wall double R7s




Technical Information

2 x MAX 80W
Direct/indirect emission, orientable
Dimmable according to the bulb
230V
IP 20
Only for horizontal installation
White body

Versions

Black anodized	AVP HWN 33
Natural anodized	AVP HWD 33
Polished inox	AVP HWH 33
NEW Gold anodized	AVP H2G 33

Wall double E14




Technical Information

2 x MAX 8W
Direct/indirect emission, orientable
Dimmable according to bulb
230V
IP 20
Bulb Ø max 3cm (not included)
White body

Versions

Black anodized	AVP EWN 33
Natural anodized	AVP EWD 33
White	AVP EWW 33
Red	AVP EWR 33
Yellow	AVP EWG 33
Blue	AVP EWB 33
Polished inox	AVP EWH 33
NEW Pastel blue	AVP EWC 33
NEW Sage green	AVP EWV 33
NEW Light grey	AVP E2D 33
NEW Gold anodized	AVP E2G 33




Technical Information

LED board
20W
Direct/indirect emission, orientable
TRIAC dimmable
230V
3000K
1515lm (white volet in parallel position)
CRI 85
IP 54
White body

Versions

	Black anodized	AVP LWN 36
	Natural anodized	AVP LWD 36
	White	AVP LWW 36
	Red	AVP LWR 36
	Yellow	AVP LWG 36
	Blue	AVP LWB 36
	Polished inox	AVP LWH 36
NEW	Pastel blue	AVP LWC 36
NEW	Sage green	AVP LWV 36
NEW	Light grey	AVP L2D 36
NEW	Gold anodized	AVP L2G 36






Technical Information

2 x MAX 80W
Direct/indirect emission, orientable
Dimmable according to the bulb
230V
IP 20
Only for vertical installation
White body

Versions

	Black anodized	AVP HWN 32
	Natural anodized	AVP HWD 32
NEW	Gold anodized	AVP H2G 32

Wall double Plié E14




Technical Information

2 x MAX 8W
Direct/indirect emission, orientable
Dimmable according to bulb
230V
IP 20
Bulb Ømax 3cm (not included)
White body

Versions

	Black anodized	AVP EWN 32
	Natural anodized	AVP EWD 32
	White	AVP EWW 32
	Red	AVP EWR 32
	Yellow	AVP EWG 32
	Blue	AVP EWB 32
NEW	Pastel blue	AVP EWC 32
NEW	Sage green	AVP EWV 32
NEW	Light grey	AVP E2D 32
NEW	Gold anodized	AVP E2G 32



Technical Information

LED board
20W
TRIAC dimmable
230V
3000K
1500lm (white violet)
CRI 85
IP 54

Versions

Black anodized	AVP LWN 35
Natural anodized	AVP LWD 35
White	AVP LWW 35
Red	AVP LWR 35
Yellow	AVP LWG 35
Blue	AVP LWB 35
NEW Pastel blue	AVP LWC 35
NEW Sage green	AVP LWV 35
NEW Light grey	AVP L2D 35
NEW Gold anodized	AVP L2G 35



Directionable volet

-45° +45°

Finishes




Structure

White aluminium

Emission

Direct /Indirect


Wall



Wall double



Wall plié









NEMO HEAD OFFICE

Viale Monza, 16
Sovico (MB), 20845
Italy
Tel +39 0362 166 050 0
info@nemolighting.com

NEMO SHOWROOM SANTA CECILIA

Via Santa Cecilia, 4/A
Milan, 20122
Italy
Tel +39 02 970 703 40
santacecilia@nemolighting.com

NEMO BORGONUOVO19

Via Borgonuovo, 19
Milan, 20122
Italy
studio@nemolighting.com

NEMO GALERIE PARIS

44, Rue du Bac
Paris, 75007
France
Tel +33 (0) 1 486 318 42
ruedubac@nemolighting.fr

NEMO USA

625 Jersey Avenue, Unit 7
New Brunswick - NJ, 08901
USA
Tel +1 800 734 5858
usa@nemolighting.com
nemolighting.com/usa/

Per maggiori informazioni
visita il nostro sito web



Scansiona il codice per i
Termini e Condizioni di vendita



