


APPLIQUE À VOLET PIVOTANT PLIÉ

Charlotte Perriand

Aus dem Originalentwurf 1962 von Charlotte Perriand für die Beleuchtung ihres Chalets in den Bergen in Méribel in den französischen Alpen, ist im Laufe der Zeit eine Familie Wandleuchten mit einfachen und farbenfrohen Formen entstanden. Verstellbarer Diffusor „Volet“ aus Aluminium und Struktur aus Metall. Die Version E14 ist mit Schalter an der Struktur der Leuchte (an Bord) und mit Kabel, einschl. Stecker für eine freie und einfache Installation ausgestattet. Die Leuchte strahlt indirektes Licht zur Wand ab und der Lichtstrahl kann beliebig ausgerichtet werden.



E14 LED/HALO/FLUO

LAMPING

Source	E14
Total power	2x8W
Emission	direct/indirect orientable
Switching	dimnable according to bulb
Tension	230V
Ip class	20
Dimensions	26x34x8cm
Materials	aluminium
Notes	Bulb Ø3cm max. White body Only for vertical installation
Net lamp weight	1,25 kg

Codes

AVP EWD 32
AVP EWN 32
AVP EWR 32
AVP EWG 32
AVP EWB 32
AVP EWW 32

Structure/Diffuser


white/natural anodized
white/black anodized
white/red
white/yellow
white/blue
white/white

PACKAGE

Package 01

Dimension: 23x37x10 cm / Gross weight: 1,75 kg

Certificazioni



R7S (75MM)

LAMPING

Source	R7s (75mm)
Total power	2x80W
Emission	direct/indirect orientable
Switching	dimmable according to bulb
Tension	230V
Ip class	20
Dimensions	26x34x8cm
Materials	aluminium
Notes	White body Only for vertical installation
Net lamp weight	1,35 kg

Codes

AVP HWD 32

AVP HWN 32

Structure/Diffuser

white/natural anodized

white/black anodized


PACKAGE

Package 01

Dimension: 25x36x14 cm / Gross weight: 1,85 kg

Certificazioni

UK
CA



LED

LAMPING

Source	LED board
Total power	20W
Emission	direct/indirect orientable
Switching	ON/OFF
Tension	230V
Color temperature led	3000K
Luminous flux led	1400lm
Typ CRI	85
Ip class	20
Dimensions	26x34x8cm
Materials	aluminium
Notes	White body. Red RAL3002, yellow RAL1033, blue RAL5002 Only for vertical installation
Net lamp weight	1,25 kg

Codes

AVP LWD 32
AVP LWN 32
AVP LWW 32
AVP LWR 32
AVP LWG 32
AVP LWB 32


Structure/Diffuser

white/natural anodized
white/black anodized
white/white
white/red
white/yellow
white/blue

PACKAGE

Package 01 Dimension: 23x37x10 cm / Gross weight: 1,75 kg

Certificazioni



LED OUTDOOR

LAMPING

Source	LED board
Total power	20W
Emission	direct/indirect orientable
Switching	dimmable TRIAC
Tension	230V
Color temperature led	3000K
Luminous flux led	1500lm
Typ CRI	85
Ip class	54
Dimensions	26x34x8,5cm
Materials	aluminium
Notes	white body, white RAL 9003, red RAL 3002, yellow RAL 1033, blue RAL 5002 Only for vertical installation

Codes

AVP LWN 35
AVP LWD 35
AVP LWW 35
AVP LWR 35
AVP LWG 35
AVP LWB 35

Structure/Diffuser

white/black anodized
white/natural anodized
white/white
white/red
white/yellow
white /blue

Certificazioni

