

APPLIQUE À VOLET PIVOTANT

Charlotte Perriand

Die Outdoor-Version der legendären Wandleuchte von Charlotte Perriand erweitert den Katalog von Nemo. Aus dem Originalentwurf 1962 von Charlotte Perriand für die Beleuchtung ihres Chalets in den Bergen in Méribel in den französischen Alpen, zeichnet sich die Applique à Volet Pivotant durch einen verstellbaren Diffusor "Volet" und eine Struktur aus Aluminium aus. Indirekte Lichtabstrahlung zur Wand und ein ausrichtbarer Lichtstrahl.



R7S HALO

LAMPING

Source	R7s (78mm)
Total power	80W
Emission	direct/indirect orientable
Switching	dimmable according to bulb
Tension	230V
Ip class	20
Dimensions	17x13x8cm
Materials	aluminium
Notes	Only for horizontal installation. White body
Net lamp weight	0,8 kg

Codes

AVP HWD 31

AVP HWN 31

AVP HWH 31

Structure/Diffuser

white/natural anodized


white/black anodized

white/polished inox

PACKAGE

Package 01	Dimension: 15x24x10 cm / Gross weight: 0,9 kg
------------	---

Certificazioni



LED

LAMPING

Source	LED board
Total power	10W
Emission	direct/indirect orientable
Switching	ON/OFF
Tension	230V
Color temperature led	3000K
Luminous flux led	720lm
Typ CRI	85
Ip class	20
Dimensions	17x13x8cm
Materials	aluminium
Notes	White body
Net lamp weight	0,8 kg


Codes

AVP LWD 31	white/natural anodized
AVP LWN 31	white/black anodized
AVP LWR 31	white/red
AVP LWG 31	white/yellow
AVP LWB 31	white/blue
AVP LWH 31	white/polished inox
AVP LWW31	white/white

PACKAGE

Package 01	Dimension: 15x24x10 cm / Gross weight: 0,9 kg
------------	---

Certificazioni



E14 LED/HALO/FLUO

LAMPING

Source	E14
Total power	8W
Emission	direct/indirect orientable
Switching	dimmable according to bulb
Tension	230V
Ip class	20
Dimensions	17x13x8cm
Materials	aluminium
Notes	cable length 1,1m, switch on board, bulb Ømax 3cm (not included). With external cable plug (removable). White body. Red RAL3002, yellow RAL1033, blue RAL5002

Codes

AVP EWN 31
AVP EWD 31
AVP EWR 31
AVP EWG 31
AVP EWB 31
AVP EWH 31
AVP EWW 31


Structure/Diffuser

white/black anodized
white/natural anodized
white/red
white/yellow
white/blue
white/polished inox
white/white

PACKAGE

Package 01	Dimension: 15x24x10 cm
------------	------------------------

Certificazioni



LED OUTDOOR

LAMPING

Source	LED board
Total power	10W
Emission	direct/indirect orientable
Switching	dimmable TRIAC
Tension	230V
Color temperature led	3000K
Luminous flux led	805lm
Typ CRI	85
Ip class	54
Dimensions	13x17x8,5cm
Materials	aluminium
Notes	white body, white RAL 9003, red RAL 3002, yellow RAL 1033, blue RAL 5002

Codes

AVP LWN 34
AVP LWD 34
AVP LWW 34
AVP LWR 34
AVP LWG 34
AVP LWB 34
AVP LWH 34

Structure/Diffuser

white/black anodized
white/natural anodized
white/white
white/red
white/yellow
white/blue
white/polished inox

Certificazioni

