

LINESCAPES PENDANT VERTICAL

Eine klare und kompakte Lichtlinie definiert einen Klassiker in der Welt der Beleuchtung. Inspiriert durch ein spezielles Projekt für eine private Sammlung zeitgenössischer Kunst, ist Linescapes vielseitig und hat eine hohe Effizienz, die durch ihre multidirektionale lineare Entwicklung gewährleistet wird.



2700K

LAMPING

Source	linear LED
Total power	12W
Emission	diffused side emission
Switching	on/off
Tension	110-240V
Color temperature led	2700K
Luminous flux led	475lm
Typ CRI	85
Ip class	20
Materials	Aluminium + PC + ABS
Notes	cable length max 3m, 360° orientable

Codes

LIN LW2 59

Structure


white

PACKAGE

Package 01

Dimension: 15x20x130 cm / Gross weight: 2,7 kg

Certificazioni



3000K

LAMPING

Source	linear LED
Total power	12W
Emission	diffused side emission
Switching	on/off
Tension	110-240V
Color temperature led	3000K
Luminous flux led	475lm
Typ CRI	85
Ip class	20
Materials	Aluminium + PC + ABS
Notes	cable length max 3m, 360° orientable

Codes

LIN LWW 59


Structure

white

PACKAGE

Package 01	Dimension: 15x20x130 cm / Gross weight: 2,7 kg
------------	--

Certificazioni



LED RECESSED 2700K

LAMPING

Source	linear LED
Total power	19W
Emission	diffused side emission
Switching	dimmable 1-10V
Tension	110-240V
Color temperature led	2700K
Luminous flux led	1125lm
Typ CRI	85
Energy class	A+
Ip class	20
Materials	Aluminium + PC + ABS
Notes	cable length max 3m, 360° orientable, recessed hole Ø8xHmin 4cm

Codes

LIN LW2 5A

Structure/Diffuser


white/white

PACKAGE

Package 01

Dimension: 15x20x130 cm / Gross weight: 2,7 kg

Certificazioni



LED RECESSED 3000K

LAMPING

Source	linear LED
Total power	19W
Emission	diffused side emission
Switching	dimmable 1-10V
Tension	110-240V
Color temperature led	3000K
Luminous flux led	1125lm
Typ CRI	85
Ip class	20
Materials	Aluminium + PC + ABS
Notes	cable length max 3m, 360° orientable, recessed hole Ø8xHmin 4cm

Codes

LIN LWW 5A

Structure/Diffuser

white/white

PACKAGE

Package 01	Dimension: 15x20x130 cm / Gross weight: 2,7 kg
------------	--

Certificazioni

