

ZENA

Roberto Paoli

Die essentielle Silhouette von Zena ist das Ergebnis einer rigorosen Forschung im Bereich des geometrischen Designs, die zu einem ebenso reduzierten wie kraftvollen Objekt mit beeindruckender Lichtleistung geführt hat. Zena stellt eine Revolution in der Welt der Wandleuchten dar, ein zeitgenössisches Experiment, das die Wandleuchte von einem traditionell statischen zu einem dynamischen und raffinierten Element macht, eine gelungene Synthese aus Leichtigkeit, Leistung und Benutzerfreundlichkeit. Zena besteht aus einem extrudierten, recycelbaren Aluminiumprofil.



ZENA 30 - IP20 | 2700K

LAMPING

Source	LED board
Total power	30W
Emission	indirect
Switching	dimnable TRIAC
Tension	230V
Color temperature led	2700K
Luminous flux led	3000lm
Typ CRI	85
Ip class	20
Dimensions	26x8,5x7cm
Materials	Aluminum + PC/ABS
Notes	white RAL 9003, black RAL 9005
Net lamp weight	1 kg

Codes

- ZEN LW2 31
- ZEN LN2 31
- ZEN LM2 31


Structure/Diffuser

- white/opal
- black/opal
- corten/opal

PACKAGE

Package 01	Dimension: 15x15x35 cm / Gross weight: 1,5 kg
------------	---

Certificazioni



ZENA 30 - IP20 | 3000K

LAMPING

Source	LED board
Total power	30W
Emission	indirect
Switching	dimnable TRIAC
Tension	230V
Color temperature led	3000K
Luminous flux led	3000lm
Typ CRI	85
Ip class	20
Dimensions	26x8,5x7cm
Materials	Aluminum + PC/ABS
Notes	white RAL 9003, black RAL 9005
Net lamp weight	1 kg

Codes

- ZEN LWW 31
- ZEN LNW 31
- ZEN LMM 31


Structure/Diffuser

- white/opal
- black/opal
- corten/opal

PACKAGE

Package 01	Dimension: 15x15x35 cm / Gross weight: 1,5 kg
------------	---

Certificazioni



ZENA 30 - IP44 | 2700K

LAMPING

Source	LED board
Total power	30W
Emission	indirect
Switching	dimnable TRIAC
Tension	230V
Color temperature led	2700K
Luminous flux led	3000lm
Typ CRI	85
Ip class	44
Dimensions	26x8,5x7cm
Materials	Aluminum + PC/ABS
Notes	white RAL 9003, black RAL 9005
Net lamp weight	1 kg

Codes

- ZEN LN2 33
- ZEN LW2 33
- ZEN LM2 33


Structure/Diffuser

- black/opal
- white/opal
- corten/opal

PACKAGE

Package 01	Dimension: 15x15x35 cm / Gross weight: 1,5 kg
------------	---

Certificazioni



ZENA 30 - IP44 | 3000K

LAMPING

Source	LED board
Total power	30W
Emission	indirect
Switching	dimmable TRIAC
Tension	230V
Color temperature led	3000K
Luminous flux led	3000lm
Typ CRI	85
Ip class	IP44
Dimensions	26x8,5x7cm
Materials	Aluminum + PC/ABS
Notes	white RAL 9003, black RAL 9005
Net lamp weight	1 kg

Codes

- ZEN LNW 33
- ZEN LWW 33
- ZEN LMM 33


Structure/Diffuser

- black/opal
- white/opal
- corten/opal

PACKAGE

Package 01	Dimension: 15x15x35 cm / Gross weight: 1,5 kg
------------	---

Certificazioni



ZENA 60 - IP20 | 2700K

LAMPING

Source	LED board
Total power	28W
Switching	dimnable TRIAC
Tension	230V
Color temperature led	2700K
Luminous flux led	6000lm
Typ CRI	85
Ip class	20
Dimensions	60x7x8,5
Materials	aluminium
Notes	white RAL 9003, black RAL 9005


Codes

ZEN LW2 34
ZEN LN2 34
ZEN LM2 34

Structure/Diffuser

white /opal
black /opal
corten/opal

Certificazioni



ZENA 60 - IP20 | 3000K

LAMPING

Source	LED board
Total power	28W
Switching	dimnable TRIAC
Tension	230V
Color temperature led	3000K
Luminous flux led	6000lm
Typ CRI	85
Ip class	20
Dimensions	60x7x8,5
Materials	aluminium
Notes	white RAL 9003, black RAL 9005


Codes

- ZEN LWW 34
- ZEN LNW 34
- ZEN LMM 34

Structure/Diffuser

- white/opal
- black/opal
- corten/opal

Certificazioni



ZENA 60 - IP44 | 2700K

LAMPING

Source	LED board
Total power	28W
Switching	dimnable TRIAC
Tension	230V
Color temperature led	2700K
Luminous flux led	6000lm
Typ CRI	85
Ip class	44
Dimensions	60x7x8,5
Materials	aluminium
Notes	white RAL 9003, black RAL 9005


Codes

- ZEN LW2 35
- ZEN LN2 35
- ZEN LM2 35

Structure/Diffuser

- white /opal
- black/opal
- corten/opal

Certificazioni



ZENA 60 - IP44 | 3000K

LAMPING

Source	LED board
Total power	28W
Switching	dimnable TRIAC
Tension	230V
Color temperature led	3000K
Luminous flux led	6000lm
Typ CRI	85
Ip class	44
Dimensions	60x7x8,5
Materials	aluminium
Notes	white RAL 9003, black RAL 9005

Codes

ZEN LWW 35
ZEN LNW 35
ZEN LMM 35

Structure/Diffuser

white/opal
black /opal
corten/opal

Certificazioni

