


APPLIQUE À VOLET PIVOTANT DOUBLE

Charlotte Perriand

Dessinée en 1962 par Charlotte Perriand pour son chalet de montagne à Méribel dans les Alpes françaises. Famille d'appliques de forme simple avec volet orientable en aluminium et structure en métal. La lampe émet une lumière indirecte vers le mur et le faisceau peut être orienté à volonté.



E14 LED/HALO/FLUO

LAMPING

Source	E14
Total power	2x8W
Emission	direct/indirect orientable
Switching	dimmable according to bulb
Tension	230V
Ip class	20
Dimensions	34x13x8cm
Materials	aluminium
Notes	Bulb Ø max 3cm (not included). White body
Net lamp weight	1,25 kg

Codes

AVP EWD 33
AVP EWN 33
AVP EWH 33
AVP EWR 33
AVP EWG 33
AVP EWB 33
AVP EWW 33

Structure/Diffuser

white/natural anodized
white/black anodized
white/polished inox
white/red
white/yellow
white/blue
white/white

PACKAGE

Package 01 Dimension: 16x37x16 cm / Gross weight: 1,75 kg

Certificazioni



R7S HALO

LAMPING

Source	R7s (75mm)
Total power	2x80W
Emission	direct/indirect orientable
Switching	dimmable according to bulb
Tension	230V
Ip class	20
Dimensions	34x13x8cm
Materials	aluminium
Notes	Only for horizontal installation. White body
Net lamp weight	1,25 kg

Codes

AVP HWD 33
AVP HWN 33
AVP HWH 33

Structure/Diffuser

white/natural anodized
white/black anodized
white/polished inox

PACKAGE

Package 01 Dimension: 16x37x16 cm / Gross weight: 1,75 kg

Certificazioni



LED

LAMPING

Source	LED board
Total power	20W
Emission	direct/indirect orientable
Switching	ON/OFF
Tension	230V
Color temperature led	3000K
Luminous flux led	1335lm
Typ CRI	85
Ip class	20
Dimensions	34x13x8cm
Materials	aluminium
Notes	White body. Red RAL3002, yellow RAL1033, blue RAL5002
Net lamp weight	1,25 kg


Codes

AVP LWD 33	white/natural anodized
AVP LWN 33	white/black anodized
AVP LWH 33	white/polished inox
AVP LWW 33	white/white
AVP LWR 33	white/red
AVP LWG 33	white/yellow
AVP LWB 33	white/blue

PACKAGE

Package 01	Dimension: 16x37x16 cm / Gross weight: 1,75 kg
------------	--

Certificazioni



LED OUTDOOR

LAMPING

Source	LED board
Total power	20W
Emission	direct/indirect orientable
Switching	dimmable TRIAC
Tension	230V
Color temperature led	3000K
Luminous flux led	1515lm
Typ CRI	85
Ip class	54
Dimensions	13x34x8,5cm
Materials	aluminium
Notes	white body, white RAL 9003, red RAL 3002, yellow RAL 1033, blue RAL 5002

Codes

AVP LWN 36
AVP LWD 36
AVP LWW 36
AVP LWR 36
AVP LWG 36
AVP LWB 36
AVP LWH 36

Structure/Diffuser

white/black anodized
white/natural anodized
white/white
white/red
white/yellow
white/blue
white/polished inox

Certificazioni

