


# LINESCAPES PENDANT VERTICAL

Un tratto di luce chiaro e compatto definisce un classico nel mondo dell'illuminazione. Ispirato a un progetto speciale per una collezione privata di arte contemporanea, Linescapes si presenta versatile e con un'elevata efficacia luminosa garantita dal suo sviluppo lineare multidirezionale.



2700K

## LAMPING

|                       |                                      |
|-----------------------|--------------------------------------|
| Source                | linear LED                           |
| Total power           | 12W                                  |
| Emission              | diffused side emission               |
| Switching             | on/off                               |
| Tension               | 110-240V                             |
| Color temperature led | 2700K                                |
| Luminous flux led     | 475lm                                |
| Typ CRI               | 85                                   |
| Ip class              | 20                                   |
| Materials             | Aluminium + PC + ABS                 |
| Notes                 | cable length max 3m, 360° orientable |

## Codes

LIN LW2 59

## Structure

white


## PACKAGE

Package 01

Dimension: 15x20x130 cm / Gross weight: 2,7 kg

## Certificazioni

UK  
CA



3000K

## LAMPING

|                       |                                      |
|-----------------------|--------------------------------------|
| Source                | linear LED                           |
| Total power           | 12W                                  |
| Emission              | diffused side emission               |
| Switching             | on/off                               |
| Tension               | 110-240V                             |
| Color temperature led | 3000K                                |
| Luminous flux led     | 475lm                                |
| Typ CRI               | 85                                   |
| Ip class              | 20                                   |
| Materials             | Aluminium + PC + ABS                 |
| Notes                 | cable length max 3m, 360° orientable |

## Codes

LIN LWW 59

## Structure


white

## PACKAGE

Package 01

Dimension: 15x20x130 cm / Gross weight: 2,7 kg

## Certificazioni



# LED RECESSED 2700K

## LAMPING

|                       |                                                                    |
|-----------------------|--------------------------------------------------------------------|
| Source                | linear LED                                                         |
| Total power           | 19W                                                                |
| Emission              | diffused side emission                                             |
| Switching             | dimmable 1-10V                                                     |
| Tension               | 110-240V                                                           |
| Color temperature led | 2700K                                                              |
| Luminous flux led     | 1125lm                                                             |
| Typ CRI               | 85                                                                 |
| Energy class          | A+                                                                 |
| Ip class              | 20                                                                 |
| Materials             | Aluminium + PC + ABS                                               |
| Notes                 | cable length max 3m, 360° orientable, recessed hole<br>Ø8xHmin 4cm |

## Codes

LIN LW2 5A

## Structure/Diffuser


white/white

## PACKAGE

Package 01

Dimension: 15x20x130 cm / Gross weight: 2,7 kg

## Certificazioni



# LED RECESSED 3000K

## LAMPING

|                       |                                                                    |
|-----------------------|--------------------------------------------------------------------|
| Source                | linear LED                                                         |
| Total power           | 19W                                                                |
| Emission              | diffused side emission                                             |
| Switching             | dimmable 1-10V                                                     |
| Tension               | 110-240V                                                           |
| Color temperature led | 3000K                                                              |
| Luminous flux led     | 1125lm                                                             |
| Typ CRI               | 85                                                                 |
| Ip class              | 20                                                                 |
| Materials             | Aluminium + PC + ABS                                               |
| Notes                 | cable length max 3m, 360° orientable, recessed hole<br>Ø8xHmin 4cm |

## Codes

LIN LWW 5A

## Structure/Diffuser

white/white

## PACKAGE

|            |                                                |
|------------|------------------------------------------------|
| Package 01 | Dimension: 15x20x130 cm / Gross weight: 2,7 kg |
|------------|------------------------------------------------|

## Certificazioni

