

TRU FLOOR

Roberto Paoli

Sculptural, mince, réduit : deux panneaux lumineux forment un parallélépipède, laissant place à une fente vide, mais cachant la source lumineuse par un effet optique. En aluminium, Tru fournit un éclairage indirect et diffus à travers deux bandes LED internes et un élément LED sur le dessus. Équipée d'un double gradateur pour le contrôle indépendant des deux sources lumineuses.



2700K

LAMPING

Source	linear LED + LED board
Total power	16+33W
Emission	up + back, indirect
Switching	double switch, dimmer on board
Tension	110-240V
Color temperature led	2700K
Luminous flux led	2125lm (up)+1765lm (back)
Typ CRI	85
Ip class	20
Materials	aluminium + PC
Notes	cable length 3,3m
Net lamp weight	9 kg

Codes

TRU LWW 25
TRU LNN 25
TRU LDD 25
TRU LGG 25


Structure

white
black
titan grey
gold painted

PACKAGE

Package 01	Dimension: 28x26x20 cm / Gross weight: 8 kg
Package 02	Dimension: 22x17x191 cm / Gross weight: 4 kg

Certificazioni



3000K

LAMPING

Source	linear LED + LED board
Total power	16+33W
Emission	up + back, indirect
Switching	double switch, dimmer on board
Tension	110-240V
Color temperature led	3000K
Luminous flux led	2125lm (up) +1765lm (back)
Typ CRI	85
Ip class	20
Materials	aluminium + PC
Notes	cable length 3,3m
Net lamp weight	9 kg

Codes

TRU LWW 24
TRU LNN 24
TRU LDD 24
TRU LGG 24

Structure

white
black
titan grey
gold painted

PACKAGE

Package 01	Dimension: 28x26x20 cm / Gross weight: 8 kg
Package 02	Dimension: 22x17x191 cm / Gross weight: 4 kg

Certificazioni

