


# DABLIU

Lampada a sospensione in alluminio, composta da un'esile struttura dotata di tre punti luce e da diffusori selezionabili a scelta tra diverse versioni. Disponibili versione spot per un'illuminazione puntuale, versione con diffusore sferico in vetro soffiato opalino e versione dotata di cono metallico nelle finiture oro brunito e nero che consente di diffondere maggiormente la luce.



# SPOT | 2700K

## LAMPING

|                       |                            |
|-----------------------|----------------------------|
| Source                | LED spot                   |
| Total power           | 3x5W                       |
| Emission              | direct                     |
| Switching             | dimmable 1-10V             |
| Tension               | 110-240V                   |
| Color temperature led | 2700K                      |
| Luminous flux led     | 3x395lm                    |
| Typ CRI               | 90                         |
| Energy class          | A+                         |
| Ip class              | 20                         |
| Dimensions            | Ø4,5x8cm                   |
| Materials             | aluminum + PC + ABS        |
| Notes                 | cable length 3m, 40° optic |


Codes  
DAB LNN 51

Structure/Diffuser  
black/black

## PACKAGE

Package 01      Dimension: 15x80x150 cm

## Certificazioni




# SPOT | 3000K

## LAMPING

|                       |                                          |
|-----------------------|------------------------------------------|
| Source                | LED spot                                 |
| Total power           | 3x5W                                     |
| Emission              | direct                                   |
| Switching             | dimnable 1-10V                           |
| Tension               | 110-240V                                 |
| Color temperature led | 3000K                                    |
| Luminous flux led     | 3x395lm                                  |
| Typ CRI               | 90                                       |
| Ip class              | 20                                       |
| Dimensions            | Ø4,5x8cm                                 |
| Materials             | aluminum + PC + ABS                      |
| Notes                 | cable length 3m, led spot beam angle 40° |

Codes  
DAB LNN 52

## Certificazioni




# GLOBE | 2700K

## LAMPING

|                       |                                    |
|-----------------------|------------------------------------|
| Source                | G4 LED 12V                         |
| Total power           | 3x4W                               |
| Emission              | diffused                           |
| Switching             | dimnable 1-10V                     |
| Tension               | 110-240V                           |
| Color temperature led | 2700K                              |
| Luminous flux led     | 3x350lm                            |
| Typ CRI               | 90                                 |
| Ip class              | 20                                 |
| Dimensions            | Ø10cm                              |
| Materials             | aluminum + PC + ABS                |
| Notes                 | cable length 3m, LED bulb included |

Codes  
DAB LNN 53

## Certificazioni




# GLOBE | 3000K

## LAMPING

|                       |                                    |
|-----------------------|------------------------------------|
| Source                | G4 LED 12V                         |
| Total power           | 3x4W                               |
| Emission              | diffused                           |
| Switching             | dimnable 1-10V                     |
| Tension               | 110-240V                           |
| Color temperature led | 3000K                              |
| Luminous flux led     | 3x350lm                            |
| Typ CRI               | 90                                 |
| Dimensions            | Ø10cm                              |
| Materials             | aluminum + PC + ABS                |
| Notes                 | cable length 3m, LED bulb included |

Codes  
DAB LNN 54

## Certificazioni




# CONE | 2700K

## LAMPING

|                       |                             |
|-----------------------|-----------------------------|
| Source                | LED spot                    |
| Total power           | 3x5W                        |
| Emission              | direct                      |
| Switching             | dimnable 1-10V              |
| Tension               | 110-240V                    |
| Color temperature led | 2700K                       |
| Luminous flux led     | 3x395lm                     |
| Typ CRI               | 90                          |
| Ip class              | 20                          |
| Dimensions            | Ø10,5x9cm                   |
| Materials             | aluminum + PC + ABS + glass |
| Notes                 | cable length 3m, 40° optic  |

Codes  
DAB LNN 55

## Certificazioni



# CONE | 3000K

## LAMPING

|                       |                             |
|-----------------------|-----------------------------|
| Source                | LED spot                    |
| Total power           | 3x5W                        |
| Emission              | direct                      |
| Switching             | dimnable 1-10V              |
| Tension               | 110-240V                    |
| Color temperature led | 3000K                       |
| Luminous flux led     | 3x395lm                     |
| Typ CRI               | 90                          |
| Ip class              | 20                          |
| Dimensions            | Ø10,5x9cm                   |
| Materials             | aluminum + PC + ABS + glass |
| Notes                 | cable length 3m, 40° optic  |

## Codes

DAB LNN 56

## Structure/Diffuser

black/gold burnished

## Certificazioni

