

FIX

Risultato di una costante ricerca sulle forme essenziali e di un progetto di miniaturizzazione dei componenti, FIX rappresenta il legame armonico tra spazio e luce: linee pulite, dimensioni compatte e un nuovo sistema ottico inserito in una sagoma quadrata in alluminio pressofuso. Un doppio fascio luminoso di 100° enfatizza il controllo della luce con un approccio molto delicato e naturale.



WALL

LAMPING

Source	LED board
Total power	2x6W
Emission	direct/indirect
Switching	dimmable TRIAC
Tension	230V
Color temperature led	2700K
Luminous flux led	2x380lm
Typ CRI	85
Ip class	20
Dimensions	10x9,6x3
Materials	aluminium
Notes	available also in 120V. Suggested dimmer: TECNEL TE7636 (dimming range: from ~45% to 100%)
Net lamp weight	0,6 kg

Codes

FIM LWW 3D
FIM LNW 3D
FIM LGT 3D
FIM LGW 3D

Structure

white
black
gold painted
gold burnished


PACKAGE

Package 01 Dimension: 18x15x14 cm / Gross weight: 1 kg

Certificazioni




3




9,6

10



3

5,4



100° WALL

LAMPING

Source	LED Board
Total power	2x6W
Emission	direct/indirect, 100° optic
Switching	Dimmable TRIAC
Tension	230V
Color temperature led	2700K
Luminous flux led	2x524lm
Typ CRI	85
Ip class	20
Dimensions	10x9,65x5,4
Materials	aluminium
Notes	available also in 120V. Suggested dimmer: TECNEL TE7636 (dimming range: from ~45% to 100%)

Codes

FIM LWW 3C
FIM LNW 3C
FIM LGT 3C
FIM LGW 3C

Structure

white
black
gold painted
gold burnished

Certificazioni

