

# KEPLER MINOR

*Arihiro Miyake*

La collezione Kepler è realizzata in estruso di alluminio verniciato, la cui linea continua è ottenuta attraverso un processo di lavorazione tridimensionale sviluppato da Nemo. Disegnata alla base del principio matematico del nastro di Möbius. Diffusore in tecnopolimero opaco.



# DOWNLIGHT 2700K

## LAMPING

|                       |                                                                                              |
|-----------------------|----------------------------------------------------------------------------------------------|
| Source                | Linear LED                                                                                   |
| Total power           | 69W                                                                                          |
| Emission              | diffused                                                                                     |
| Switching             | dimmable 1-10V                                                                               |
| Tension               | 110-240V                                                                                     |
| Color temperature led | 2700K                                                                                        |
| Luminous flux led     | 4000lm                                                                                       |
| Typ CRI               | 85                                                                                           |
| Ip class              | 20                                                                                           |
| Materials             | aluminium + PC                                                                               |
| Notes                 | adjustable cable length from 2,5m to 0,4m, DALI version on request, TRIAC VERSION on request |
| Net lamp weight       | 6 kg                                                                                         |

## Codes

KEM LWW 54  
KEM LNN 54  
KEM LOW 54


## Structure

white  
black  
gold

## PACKAGE

Package 01      Dimension: 90x90x45 cm / Gross weight: 11 kg

## Certificazioni



# DOWNLIGHT 3000K

## LAMPING

|                       |                                                                    |
|-----------------------|--------------------------------------------------------------------|
| Source                | Linear LED                                                         |
| Total power           | 69W                                                                |
| Emission              | diffused                                                           |
| Switching             | dimmable 1-10V                                                     |
| Tension               | 110-240V                                                           |
| Color temperature led | 3000K                                                              |
| Luminous flux led     | 4000lm                                                             |
| Typ CRI               | 85                                                                 |
| Ip class              | 20                                                                 |
| Materials             | aluminium + PC                                                     |
| Notes                 | adjustable cable length from 2,5m to 0,4m, DALI version on request |
| Net lamp weight       | 6 kg                                                               |

## Codes

KEM LWW 52  
KEM LNN 52  
KEM LOW 52


## Structure

white  
black  
gold

## PACKAGE

Package 01  
Dimension: 90x90x45 cm / Gross weight: 11 kg

## Certificazioni



# UPLIGHT 2700K

## LAMPING

|                       |                                                                    |
|-----------------------|--------------------------------------------------------------------|
| Source                | Linear LED                                                         |
| Total power           | 69W                                                                |
| Emission              | diffused indirect                                                  |
| Switching             | dimmable 1-10V                                                     |
| Tension               | 110-240V                                                           |
| Color temperature led | 2700K                                                              |
| Luminous flux led     | 4000lm                                                             |
| Typ CRI               | 85                                                                 |
| Ip class              | 20                                                                 |
| Materials             | aluminium + PC                                                     |
| Notes                 | adjustable cable length from 2,5m to 0,4m, DALI version on request |
| Net lamp weight       | 6 kg                                                               |

## Codes

KEM LWW 53  
KEM LNN 53  
KEM LOW 53


## Structure

white  
black  
gold painted

## PACKAGE

Package 01      Dimension: 90x90x45 cm / Gross weight: 11 kg

## Certificazioni



# UPLIGHT 3000K

## LAMPING

|                       |                                                                    |
|-----------------------|--------------------------------------------------------------------|
| Source                | Linear LED                                                         |
| Total power           | 69W                                                                |
| Emission              | diffused indirect                                                  |
| Switching             | dimnable 1-10V                                                     |
| Tension               | 110-240V                                                           |
| Color temperature led | 3000K                                                              |
| Luminous flux led     | 4000lm                                                             |
| Typ CRI               | 85                                                                 |
| Ip class              | 20                                                                 |
| Materials             | aluminium + PC                                                     |
| Notes                 | adjustable cable length from 2,5m to 0,4m, DALI version on request |
| Net lamp weight       | 6 kg                                                               |

## Codes

KEM LWW 51  
KEM LNN 51  
KEM LOW 51

## Structure

white  
black  
gold

## PACKAGE

Package 01      Dimension: 90x90x45 cm / Gross weight: 11 kg

## Certificazioni

