

LA ROCHE

Le Corbusier

Da Villa La Roche, testimonianza dell'architettura purista, prende il nome la prima lampada da parete progettata originariamente da Le Corbusier nel 1925 per illuminare le grandi finestre dell'edificio.

Nemo la propone, valorizzandone leggerezza e funzionalità: La Roche è realizzata con una struttura in metallo opaco e un diffusore in vetro opalino sagomato per un'illuminazione omogenea e armoniosa.



INDOOR IP20 | 2700K

LAMPING

Source	LED board
Total power	10W
Emission	diffused
Switching	dimmable TRIAC
Tension	230V
Color temperature led	2700K
Luminous flux led	925lm
Typ CRI	85
Ip class	20
Dimensions	Ø4,5x37x7
Materials	aluminum
Notes	available also in 120V, grey RAL7046, black RAL7021.

Net lamp weight

2 kg

Codes

ROC LDW 31

ROC LNW 31

Structure

grey


black

PACKAGE

Package 01

Dimension: 20x15x40 cm / Gross weight: 2,5 kg

Certificazioni



INDOOR IP20 | 3000K

LAMPING

Source	LED board
Total power	10W
Emission	diffused
Switching	dimmable TRIAC
Tension	230V
Color temperature led	3000K
Luminous flux led	925lm
Typ CRI	85
Ip class	20
Dimensions	Ø4,5x37x7
Materials	aluminium
Notes	available also in 120V, grey RAL7046, black RAL7021.

Net lamp weight

2 kg

Codes

ROC LN3 31

ROC LD3 31

Structure

black


grey

PACKAGE

Package 01

Dimension: 20x15x40 cm / Gross weight: 2,5 kg

Certificazioni



OUTDOOR IP45 | 2700K

LAMPING

Source	LED board
Total power	10W
Emission	diffused
Switching	dimmable TRIAC
Tension	230V
Color temperature led	2700K
Luminous flux led	925lm
Typ CRI	85
Ip class	45
Dimensions	Ø4,5x37x7
Materials	aluminium
Notes	also available 120V, grey RAL 7046, black RAL7021. Suggested dimmer: VIMAR 14136.1 (dimming range: from ~45% to 100%)

Net lamp weight

2 kg

Codes

ROC LDW 33

ROC LNW 33

Structure

grey


black

PACKAGE

Package 01

Dimension: 20x15x40 cm / Gross weight: 2,5 kg

Certificazioni



OUTDOOR IP45 | 3000K

LAMPING

Source	LED board
Total power	10W
Emission	diffused
Switching	dimmable TRIAC
Tension	230V
Color temperature led	3000K
Luminous flux led	925lm
Typ CRI	85
Ip class	45
Dimensions	Ø4,5x37x7
Materials	aluminium
Notes	also available 120V, grey RAL 7046, black RAL7021. Suggested dimmer: VIMAR 14136.1 (dimming range: from ~45% to 100%)

Net lamp weight 2 kg

Codes

ROC LN3 33
ROC LD3 33

Structure

black
grey

PACKAGE

Package 01 Dimension: 20x15x40 cm / Gross weight: 2,5 kg

Certificazioni

