

UNTITLED MINI LINEAR

Bernhard Osann

Progetto di sintesi vincente di meccanica e illuminotecnica. Un design pulito ed essenziale, con snodi miniaturizzati che consentono un'estrema versatilità di movimento. La versione Linear è stata progettata con un'ottica specifica per garantire il massimo comfort visivo negli ambienti di lavoro.



2700K

LAMPING

Source	linear LED
Total power	4,5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature led	2700K
Luminous flux led	485lm
Typ CRI	90
Ip class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp, Table base, Wall fixing,


Codes

- UNT LN2 15
- UNT LW2 15
- UNT LD2 15
- UNT LG2 15

Structure

- black
- white
- titan grey
- gold

Certificazioni



3000K

LAMPING

Source	LED board
Total power	4,5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature led	3000K
Luminous flux led	485lm
Typ CRI	90
Ip class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp, Table base, Wall fixing,

Codes

- UNT LNN 15
- UNT LWW 15
- UNT LDD 15
- UNT LGG 15

Structure

- black
- white
- titan grey
- gold

Certificazioni

