


LINESCAPES PENDANT VERTICAL

Un tratto di luce chiaro e compatto definisce un classico nel mondo dell'illuminazione. Ispirato a un progetto speciale per una collezione privata di arte contemporanea, Linescapes si presenta versatile e con un'elevata efficacia luminosa garantita dal suo sviluppo lineare multidirezionale.



2700K

LAMPING

Source	linear LED
Total power	12W
Emission	diffused side emission
Switching	on/off
Tension	110-240V
Color temperature	2700K
Luminous flux	475lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	cable length max 3m, 360° orientable

Codes

LIN LW2 59

Structure

white

PACKAGE

Package 01 Dimension: 15x20x130 cm / Gross weight: 2,7 kg

Certificazioni



3000K

LAMPING

Source	linear LED
Total power	12W
Emission	diffused side emission
Switching	on/off
Tension	110-240V
Color temperature	3000K
Luminous flux	475lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	cable length max 3m, 360° orientable

Codes

LIN LWW 59

Structure

white

PACKAGE

Package 01 Dimension: 15x20x130 cm / Gross weight: 2,7 kg

Certificazioni



LED RECESSED 2700K

LAMPING

Source	linear LED
Total power	19W
Emission	diffused side emission
Switching	dimnable 1-10V
Tension	110-240V
Color temperature	2700K
Luminous flux	1125lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	cable length max 3m, 360° orientable, recessed hole Ø8xHmin 4cm
Energy class	A+

Codes

LIN LW2 5A

Structure/Diffuser

white/white

PACKAGE

Package 01

Dimension: 15x20x130 cm / Gross weight: 2,7 kg

Certificazioni



LED RECESSED 3000K

LAMPING

Source	linear LED
Total power	19W
Emission	diffused side emission
Switching	dimmable 1-10V
Tension	110-240V
Color temperature	3000K
Luminous flux	1125lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	cable length max 3m, 360° orientable, recessed hole Ø8xHmin 4cm

Codes

LIN LWW 5A

Structure/Diffuser

white/white

PACKAGE

Package 01 Dimension: 15x20x130 cm / Gross weight: 2,7 kg

Certificazioni

