

UNTITLED MINI LINEAR

Bernhard Osann

Progetto di sintesi vincente di meccanica e illuminotecnica. Un design pulito ed essenziale, con snodi miniaturizzati che consentono un'estrema versatilità di movimento. La versione Linear è stata progettata con un'ottica specifica per garantire il massimo comfort visivo negli ambienti di lavoro.



2700K

LAMPING

Source	linear LED
Total power	4,5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	2700K
Luminous flux	485lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp, Table base, Wall fixing,

Codes

UNT LN2 15
UNT LW2 15
UNT LD2 15
UNT LG2 15

Structure

black
white
titan grey
gold

Certificazioni



3000K

LAMPING

Source	LED board
Total power	4,5W
Emission	direct
Switching	dimmable on board
Tension	110-240V
Color temperature	3000K
Luminous flux	485lm
Typ CRI	90
IP class	20
Materials	aluminum, technopolymer
Notes	Cable length 2m, 155° joint rotation. Accessories (base, desk clamp, wall fixing) sold separately
Accessories	Desk clamp, Table base, Wall fixing,

Codes

UNT LNN 15
UNT LWW 15
UNT LDD 15
UNT LGG 15

Structure

black
white
titan grey
gold

Certificazioni

